The data provided is the State of NE 911 diversity audit component from the FCC Report filed annually in compliance with the FCC Reliability Order. It is a snapshot in time (start of 2Q24) of the diversity of our 911 network. For the NG911 component and in compliance with the Reliability Order, the audit covers the facilities from the Next Generation Core Switches (NGCS) to the PSAPs and does not include ingress facilities. In a separate initiative, we are in the process of assessing and improving the diversity of our 911 ingress facilities for the State of NE.

Beginning 2Q of 2024, please list all the PSAPs with physically diverse circuits in the cell below. Please provide the list the following way: PSAP 1, PSAP 2, etc.	
Whitefish County Flathead Backup,	
	1

PLAP Name	County	Diversity Audit Conducted	Reason Diversity Audit Not Conducted	911 Grouits Targed	Reason 911 Grouts not Tagged	Reasons Not Fully Diversified	Why System 1: NotFully Deverating
Buttalo County 911	Buffalo	Yes		Yes		Other	CD Avoidance
	Outer	Yes		Yes		Economically interable	Involtable common equipment (channel have multiplesser transmit feature). Channel Back / Dr. DBDM: Only use DCS wailable: COL Mi dathave commonality
Dakota County Lec	Dakota	Yes		Yes		Only one cable available within providers network	
	Clinca	Yes		Yes		Other	00 kuridana
Gothenburg Police Dept/ Dawton County	Davago	Yes		Yes		Other	00 Avoidance
	Liber Jaco	Yes		Yes			Involtable common excitment internet have multiplener terminal? Channel Back / Dr. SOMET: Only one rable scalable within consider network (OII IN) distance commonality
Othut AFB Fire Emergency Services	Samy	Yes		Yes		Economically inteasible	Unavoidable common equipment (channel bank, multiplexer, transport terminal): Channel Bank / Dr. CD Avoidance: CDLAN deshave commonality
Ownshaudouplas County 9.4.4 Communications Cantar	Counting	Yes		Yes		Only one DOS available	
Pierce County	Pierce	Yes		Yes		Economically inteasible	Unavoidable common equipment (channel bank, multipleser, transport terminal): Asinc Transport, Channel Bank / DK: Only one DCS available: Only one cable available within providers network; COLAN database commonality
Region 36 Council	Loup	Yes		Yes		Economically interable	Involtable common equipment (channel have multiplesser terminal): Channel Back / Dr. Only one DOS available: OD Availabor: OD All dechane commonality
Seward County	Seward	Yes		Yes		Other	CD Avoidance
	Thread	Yes		Yes			00 kuridana
Thurston County	Thurston	Yes		Yes		Economically infeasible	Unavoidable common equipment (channel bank, multiplexer, transport terminal): Channel Bank / Di: SONET: Only one DCS available: CD Avoidance: COLAN deshave commonality

Alternative Measure Taken	Describe Alternative Measures TakesTakes and Lkt Ann Other Companies Involved in Providing These Official 111 Graphs	Date When Remediation Steps Will be Completed	Benarks
Circuits are logically diverse	Geomineruse additional citcuits		The measures listed in column J and/or K are under review and may be modified, and/or pursued in future budget cycles
I had accents common ancionant Phannal bank multiplexer transport ancionanti-	DMDM . Suid & Groom MVD . Max . Suid & Groom Condition to Joint State Devices to Next Generation and Next Generation and Next Generation to Next G		The measurer listed is onlymp. I applied if, any upday socians and may be modified, applications and in lower, budget outer
Other	7 miles of fiber new pute from sputh Siloux to downtown.		The measures lided in column J and/or K are under review and may be modified, and/or pursued in future budget cycles
I had accents common ancionant Phannal bank multiplexer transport ancionant-	DMDM - Group		The measurer listed is onlymp. I applied if, any upday socians and may be modified, applications and in lower, budget outer
Circuitsare logically diverse	Grom/worke additional circuits		The measures lided in column J and/or K are under review and may be modified, and/or pursued in future budget cycles
I had accents common ancionant Phannal bank multiplexer transport ancionanti-	Phone Back/DL, Build & Groom SPAID - Build & Groom Spainteres Indexity during Chicago Backware of EC, Wood mount 15, wile Backvald with EC assessment Pandoo minutes to Next Gas methods patiently One Consistent ATB	T.	The measurer listed is onlymp. I applied if, any upday socians and may be modified, applications and in lower, budget outer
Used asparate common equipment (channel bank, multiplexer, transport equipment)	M12 - Mux - Build & Groom: Circuits aw logically diverse: Pending migration to Next Gen monitoring network		The measures lided in column J and/or K are under review and may be modified, and/or pursued in future budget cycles
I had accents common ancionant Phannal bank multiplexer transport ancionanti-	MH/D - More - David & Genom		The measurer listed is onlymp. I applied if, any upday socians and may be modified, applications and in lower, budget outer
Used asparate common equipment (channel bank, multiplexer, transport equipment)	SONET - Build & Geom: DCS - Geom: Circuits are logically diverse: Only one pute to ILEC - would exoure -30 diverse fiber build: Pending migration to Next Gen monitoring network		The measures lided in column J and/or K are under review and may be modified, and/or pursued in future budget cycles
I had accents common ancionant Phannal bank multiplexer transport ancionanti-	DCS - Build & Group: Carulas ana Instantia Guaran Rendon minimum to New Gene mentioning patients (Other Companies: MC)		The measurer listed is onlymp. I applied if, any upday socians and may be modified, applications and in lower, budget outer
Used asparate common equipment (channel bank, multiplexer, transport equipment)	DNDM - Groom		The measures lided in column J and/or K are under review and may be modified, and/or pursued in future budget cycles
I had accents common ancionant Phannal bank multiplexer transport ancionant-	DMDM - Group		The measurer listed is onlymp. I applied if, any upday socians and may be modified, applications and in lower, budget outer
Used asparate common equipment (channel bank, multiplexer, transport equipment)	Channel Bank/ DH - Build & Groom: M1/3 - Mux - Build & Groom: SONET - Build & Groom: Circuits are logically diverse: Pending migration to Next Gen monitoring network: Other Companies: AT&T		The measures lided in column J and/or K are under review and may be modified, and/or pursued in future budget cycles

Central Office -CLLI Code	PSAPs served by these central offices	Central Office Contains a Selective Router	Has 72 Hours Back-Up (if SR) or 24 Hours (if not SR, choose from menu)	Alternative Measures for Amount of Back-up Power	Description of Alternative Measures for Back-up Power	Tests according Manufacturer's Specifications
ALNCNENW	Alliance/ Box Butte County	No	Yes			Alternative
BRKBNENW	Custer County Communications	No	Yes			Alternative
BRPTNENW	Morrill County	No	Yes			Alternative
CHDRNENW	Chadron Police Dept/ Dawes County	No	Yes			Alternative
FRMTNENW	Fremont/ Dodge County Communications Center	No	Yes			Alternative
FUTNNENW	Nance County	No	Yes			Alternative
GDISNENW	Alliance/ Box Butte County, Buffalo County 911, Chase County 9-1-1, Cheyenne County Emerg Comm Center, Gothenburg Police Dept/ Dawson County, Frontier County 911, Furnas County Sheriff 911, Hall County 911, Harlanr Phelps/ City Of Holdrege, Howard County	Yes	Yes			Alternative
GRNGNEXU	Scottsbluff County Communications/ Banner / Sioux	No	Yes			Alternative
HLDGNENW	Harlan/ Phelps/ City Of Holdrege	No	Yes			Alternative
KMBLNEXU	Kimball County Communications Center	No	Yes			Alternative
LXTNNENW	Chase County 9-1-1, Cheyenne County Emerg Comm Certer, Gothenburg Police Dept/ Dawson County, Fumas County Sheriff 911, Howard County 911, Kearney County 916, Withr, Ded, Grant, Hooker, Mcpherson Counties, North Platte	No	Yes			Alternative
MCCKNENW	Mc Cook Police Department	No	Yes			Alternative
MINDNENW	Kearney County Sheriff's Office	No	Yes			Alternative
NPLTNENW	North Platte Police Department/ Lincoln County	No	Yes			Alternative
NRFLNENW	Frontier County 911, Norfolk Police Dept/ Stanton/ Pierce Counties, Grand Island- hall County	Yes	Yes			Alternative
OGLLNENW	Keith County 911 / Arthur, Deul, Grant, Hooker, Mcpherson Counties	No	Yes			Alternative
OMAHNE84	Sarpy County 9-1-1	No	Yes			Alternative
OMAHNEBE	Offutt AFB Fire Emergency Services, Otoe County	No	Yes			Alternative
OMAHNEFO	Douglas County 9-1-1 Communications Center, Omaha-douglas County 9-1-1 Communications Center	No	Yes			Alternative
OMAHNENW	Douglas County 9-1-1 Communications Center, Omaha-douglas County 9-1-1 Communications Center, Cass County Sheriff's Dept	No	Yes			Alternative
ONELNENW	Boyd/ Holt County 9-1-1	No	Yes			Alternative
PNDRNEUW	Thurston County	No	Yes			Alternative
SCHLNENW	Colfax County Communications E-911	No	Yes			Alternative
SCTSNEXU	Cheyenne County Emerg Comm Center, Gothenburg Police Dept/ Dawson County, Garden County, Torrington Police Department, Scottsbluff County Communications/ Banner / Sloux, Kimball County Communications Center	Yes	Yes			Alternative
SDNYNENW	Cheyenne County Emerg Comm Center	No	Yes			Alternative
SSCYNENW	Dakota County Lec	No	Yes			Alternative
STPLNENW	Howard County 911	No	Yes			Alternative
TKMHNENW	Burt County 911	No	Yes			Alternative
		No	Yes			Alternative
VLNTNENW	Keya Paha	140				
VLNTNENW WAYNNEUW	Keya Paha Wayne Police Department	No	Yes			Alternative

Alternative Measures for Testing according to Manufacturer's Specifications	Description of Alternative Measures for Testing according to Manufacturer's Specifications	Generator can be started automatically or easily started manually	Alternative Measures for Automatic Operation/Easy Manual	Description of Alternative Measures for Automatic/Easy Manual Operation	Alternate for Tandem Generator	Description of Alternati
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (centr
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (centr
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
a 1						
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (centre
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (centre
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (centre
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cen
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Have an automatic load shedding arrangement so that the C0	O Have an automatic load s
					will continue prioritized operations when one or more generators fails	continue prioritized operat
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cen
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cen
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cen
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cen
Other	Test according to Telcordia GR-513	Yes			Not applicable (central office has only one generator)	Not applicable (cent
Other	Test according to Telcordia GR-513					

native Measures for Tandem Generators	Remarks
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
entrar onice has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
· · · · · · · · · · · · · · · · · · ·	
debeddler company to the try op 10	
d shedding arrangement so that the CO will erations when one or more generators fails	
oracióno when one or more generators falls	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
control office has only one consistent	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	
central office has only one generator)	